REMARKS

This paper is filed in response to the final official action dated November 19, 2007 (hereafter, "the official action"), the advisory action dated January 30, 2008, and the notice of panel decision from pre-appeal brief review dated June 2, 2008, and in furtherance to the notice of appeal filed April 21, 2008. This paper is timely filed as it is accompanied by a petition for extension of time and authorization to charge our credit card account in the amount of the requisite fee. The Director is hereby authorized to charge any deficiency in the fees filed, asserted to be filed or which should have been filed herewith to our Deposit Account No. 13-2855, under Order No. 29610/CDT448.

Claims 1-32 are pending, but claims 18-24 have been withdrawn.

By the foregoing, claims 1, 3, 6, 9, 11, 12, 29, and 30 have been amended, and claims 10, 14, 27, 31, and 32 have been canceled without prejudice or disclaimer. Support for the amendment to claim 1 may be found, for example, at the third paragraph of page 5 of the application. The other amendments relate to matters of form. No new matter has been added.

Claims 1, 2, 5-16 and 25-32 stand rejected as anticipated by, or in the alternative, as obvious over U.S. Patent Publication No. 2001/0026878 to Woo et al. ("Woo"). Claims 1, 2, 4, 10, and 15-17 stand rejected as anticipated by, or in the alternative, as obvious over International Patent Publication No. WO 02/31896 Periyasamy et al. ("Periyasamy"). Claims 1-4 and 17 stand rejected as anticipated by, or in the alternative, as obvious over European Patent Publication No. EP 1220341 to Naito ("Naito"). The applicants respectfully traverse the rejections.

As an initial matter, the Office indicated in the advisory action dated January 30, 2008, that the term 'cross-linked' has been given "its most broadest interpretation since the applicants have not specifically and adequately described what constitutes a 'cross-linked' material." In response, the applicants respectfully submit that the term 'cross-linked' is a well understood term in the chemical arts. *See*, for example, *Hawley's Condensed Chemical Dictionary*, Fifteenth Edition (2007), which defines the term cross-linking as "attachment of two chains of polymer molecules by bridges...." In view of same, the

¹ A copy of the definition is attached as Attachment A.

applicants again submit that their previous comments regarding the distinctions between the claimed hole transporting and electron blocking material and the materials disclosed by applied art reflect chemical differences between said materials, and do not raise new matter issues as (possibly) suggested by the examiner.

Nonetheless, the claims have been further amended to advance prosecution. Specifically, the claims have been amended to recite an organic semiconducting copolymer comprising triarylamine repeat units in a molar ratio between 1% and 10%. The cited art fails to disclose or suggest a device including a layer of such a copolymer.

While the Office cited Woo as suggesting a copolymer comprising triarylamine repeat units in a molar ratio between 1% and 10%, as claimed (*see* page 4 of the final action), Woo merely exemplifies 1:1 ratio A:B copolymers. Specifically, each of the polymers (V) to (XII) explicitly disclosed in Woo are 1:1 ratio A:B copolymers (i.e., regioregular copolymers). Thus, one of ordinary skill in the art would naturally conclude that any efficiency and brightness advantages described in Woo flow from 1:1 ratio A:B copolymers or copolymers having substantially similar ratios of repeat units. Similarly, Woo fails to disclose or suggest any advantages associated with polymers comprising triarylamine repeat units anywhere near the lower endpoint of at least 10 wt.% (or at least 5 wt.%) given therein. Thus, the skilled artisan would not be motivated to include a triarylamine repeat unit in a molar ratio between 1% and 10%, as recited in all pending claims.

Moreover, devices including semiconducting copolymers comprising triarylamine repeat units in a molar ratio between 1% and 10% demonstrate enhanced efficiency. Example 2 on page 16 of the application describes the effect of varying triarylamine content in the organic semiconducting copolymer layer on optical device performance. It is apparent from Figure 3 that optical devices including copolymers comprising triarylamine repeat units in a molar ratio between 1% and 10% exhibit significantly better efficiency than devices including copolymers comprising a higher ratio of triarylamine units. There is no teaching in the applied art that a combination of a polymer comprising such a triarylamine content and a cathode such as barium leads to improved efficiency. As such, it is respectfully submitted that a *prima facie* case of obviousness over Woo cannot be sustained.

December 2, 2008

CONCLUSION

It is submitted that the application is in condition for allowance. Should the examiner wish to discuss the foregoing, or any matter of form or procedure in an effort to advance this application to allowance, he is respectfully invited to contact the undersigned attorney at the indicated telephone number.

Respectfully submitted,

MARSHALL, GERSTEIN & BORUN LLP

Andrew M. Lawrence, Reg. No. 46,130

Attorney for Applicants 6300 Sears Tower

233 S. Wacker Drive

Chicago, Illinois 60606-6357

(312) 474-6300

Hawley's

Condensed Chemical Dictionary

Fifteenth Edition

rions

Viley first generation nelping to the midst ilding the nical, and the 20th ond their 'as there, of ideas,

journey, eir needs the way owledge es.

you the

WILEY BOARD Richard J. Lewis, Sr.



WILEY-INTERSCIENCE A JOHN WILEY & SONS, INC., PUBLICATION

ATTACHMENT A

Copyright © 2007 by John Wiley & Sons, Inc., New York. All rights reserved.

Published by John Wiley & Sons, Inc., Hoboken, New Jersey. Published simultaneously in Canada.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, scanning or otherwise, except as permitted under Sections 107 or 108 of the 1976 United States Copyright Act, without either the prior written permission of the Publisher, or authorization through payment of the appropriate per-copy fee to the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, (978) 750-8400, fax (978) 750-4470, or on the web at www.copyright.com.

Requests to the Publisher for permission should be addressed to the Permissions Department, John Wiley & Sons, Inc., 222 River Street, Hoboken, NJ 07030, (201) 748-6011, fax (201) 748-6008, or online at http://www.wiley.com/go/permission.

Limit of Liability/Disclaimer of Warranty. While the publisher and author have used their best efforts in preparing this book, they make no representations or warranties with respect to the accuracy or completeness of the contents of this book and specifically disclaim any implied warranties of merchantability of fitness for a particular purpose. No warranty may be created or extended by sales representatives or written sales materials. The advice and strategies contained herein may not be suitable for your situation. You should consult with a professional where appropriate. Neither the publisher nor author shall be liable for any loss or profit or any other commercial damages, including but not limited to special, incidental, consequential, or other damages.

For general information on our other products and services or for technical support, please contact our Customer Care Department within the United States at (800) 762-2974, outside the United States at (317) 572-3993 or fax (317) 572-4002.

Wiley also publishes its books in a variety of electronic formats. Some contents that appears in print may not be available in electronic formats. For more information about Wiley products, visit our web site at www.wiley.com.

Library of Congress Cataloging-in-Publication Data is available.

Lewis, Richard J., Sr.

Hawley's Condensed Chemical Dictionary, Fifteenth Edition

ISBN 13: 978-0-471-76865-4

ISBN 10: 0-471-76865-0

Printed in the United States of America.

10 9 8 7 6 5 4 3 2 1

crocein acid. (croceic acid; Bayer's acid; 2-naphthol-8-sulfonic acid).

Derivation: Sulfonation of β -naphthol with 94% sulfuric acid at 95C and recrystallization from a salt. Use: Azo-dye intermediate.

Crocein Scarlet MOO. See Brilliant Crocein.

crocetin. $C_{20}H_{24}O_4$. A dicarboxylic carotenoid derived from saffron.

Properties: Red, rhomboid crystals. Mp 285C. Soluble in pyridine and dilute sodium hydroxide; slightly soluble in water and organic solvents. Combustible. Use: Experimental treatment of arteriosclerosis by increasing oxygen diffusion through arterial walls, thus decreasing buildup of cholesterol.

crocidolite. A type of asbestos. See asbestos.

crocking. Removal of a dye or pigment from the surface of a paint or textile by rubbing or attrition.

"Crodamal" [Croda]. TM for fatty acid esters. Grade: In liquid, solid, and flake forms.

Use: As emollient esters for skin care, sun care, and stick products.

"Crodamide" [Croda]. (Erucamide) TM for slip and mold release agents.
Use: Plastics casting.

"Crodamide OR" [Croda]. TM for oleamide slip and mold release additive.

Available forms: Beads, powder, and pastilles.

Use: In manufacture of plastics.

"Croda Oleochemicals" [Croda, Japan].

TM for chemicals used in hair care, sun screen, polymer medical additives, and cleaning products.

"Crome of Nature" [Afrocare]. TM for a no-lye hair relaxer.
Use: A color changing formula that signals when

"Cronox 861 OS" [Baker Petrolite]. TM for a batch treatment drilling corrosion inhibitor. Use: As a corrosion inhibitor

Crome is ready.

crospovidone. See polyvinylpolypyrrolidone.

Cross-Bevan (viscose) process. Production of rayon by treatment of cellulose with alkali and


carbon disulfide to yield cellulose xanthate, solution in dilute caustic, and extrusion of the viscous "Viscose" into a coagulating bath, a 7-10% sulfuric acid solution containing 1-5% zinc sulfate and an active surface agent.

crosshead. A device attached to the head of an extrusion machine that permits the material to be extruded in opposite directions simultaneously at right angles to the barrel. It is applicable chiefly to coating of wire, cable, and small-diameter hose.

crossing over. The breaking during meiosis of one maternal and one paternal chromosome, the exchange of corresponding sections of DNA, and the rejoining of the chromosomes. This process can result in an exchange of alleles between chromosomes.

See recombination.

cross-linking. Attachment of two chains of polymer molecules by bridges, composed of either an element, a group, or a compound, that join certain carbon atoms of the chains by primary chemical bonds, as indicated in the schematic diagram.



Cross-linking occurs in nature in substances made up of polypeptide chains that are joined by the disulfide bonds of the cystine residue, as in keratins, insulin, and other proteins. Polysaccharide molecules can also cross-link to form stable gel structures (dextran). Cross-linking can be effected artificially, either by adding a chemical substance (cross-linking agent) and exposing the mixture to heat, or by subjecting the polymer to high-energy radiation. Examples are (1) vulcanization of rubber with sulfur or organic peroxides; (2) cross-linking of polystyrene with divinylbenzene; (3) cross-linking of polyethylene by means of high-energy radiation or with an organic peroxide; (4) cross-linking of cellulose with dimethylol carbamate (10% solution) in durable-press cotton textiles. Crosslinking has the effect of changing a plastic from thermoplastic to thermosetting. Thus, it also increases strength, heat and electrical resistance, and especially resistance to solvents and other chemicals. See vulcanization; polyethylene; keratin.

cross section. (1) A measure of the probability that a nuclear reaction will occur. Usually measured in barns, it is the apparent (or effective) area presented by a target nucleus (or particle) to an oncoming particle or other nuclear radiation, such as a photon or γ-radiation. Also called capture cross section.